

Inventory Management Systems with Hazardous Items of Two-Parameter Exponential Distribution

Azizul Baten and Anton Abdulbasah Kamil
School of Distance Education, University Sains Malaysia
11800 USM, Penang, Malaysia

Abstract: Problem statement: An exponentially decaying inventory was first developed by^[10]. The certain commodities were observed to shrink with time by a proportion which can be approximated by a negative exponential function of time. Here, the novelty we took into consideration was that a constant hazardous rate followed by the two-parameter exponential distribution. **Approach:** We studied the inventory system with two-parameter exponential distributed hazardous items in which production and demand rate were constant. **Results:** The mathematical model was developed with an exponential distribution hazardous item to obtain the total cost per unit time of an inventory system. It was illustrated with the help of numerical example. The inventory controlled systems in terms of first order differential equations were solved numerically. The effect of changes in the model parameters on decision variables and average total cost of an inventory system were studied through numerical example. **Conclusion:** This study minimized the total cost for constant hazardous rate of exponential distribution.

Key words: Inventory-production model, storage, exponential distributed hazardous item, operation research and management science, performance measure

INTRODUCTION

Inventory may be considered as an accumulation of a product that would be used to satisfy future demands for that product. It requires a policy to control that inventory. Since the pioneering research^[4] inventory models are being treated by mathematical techniques. Until the nineteen fifties only inventory models with deterministic demands were considered. After the nineteen fifties, due to developments within the theory of stochastic processes, the research on inventory models with stochastic demands initiated. In all inventory models a general assumption is that products generated have indefinitely long lives. In general, almost all items deteriorate over time. There are many other products in the real world that are subject to a significant rate of deterioration. The impact of product deterioration should not be neglected in the decision process of production lot size. Deterioration can be classified as age-dependent on-going deterioration and age-independent on-going deterioration. Since long time, researchers are engaged in analyzing inventory models for deteriorating items such as volatile liquids, medicines, electronic components, fashion goods, fruits and vegetables. At the end of the storage period

deterioration is studied^[9] for the fashion goods industry. Earlier some researchers considered continuously decaying inventory for a constant demand^[10]. An order-level inventory model was presented for deteriorating items with a constant rate of deterioration^[12]. An order-level inventory model was also developed^[11] by correcting and modifying the error^[12] in calculating the average inventory holding cost. A variable deterioration rate of two parameter Weibull distribution was used to formulate a model with the assumptions of a constant demand rate and no shortages^[3]. A model was developed for determining the production rate with deteriorating items to minimize the total cost function over a finite planning period^[2]. An extended the model^[6], given^[7] to deal with a case in which the finished product is also subject to a constant rate of decay. A multi-lot-size production-inventory system was considered for deteriorating items with constant production and demand rates^[8]. This type of inventory control problems have been studied also by^[5,11,13-15].

In this study we study the inventory system with two-parameter exponential distributed hazardous item in which production and demand rate are constant. An exponentially decaying inventory was first developed by^[10]. The certain commodities were observed to shrink

with time by a proportion which can be approximated by a negative exponential function of time. Here, the novelty we take into consideration is that a constant hazardous rate followed by the two-parameter exponential distribution. The probability density function of a two-parameter exponential distribution is given by:

$$f(t; \mu, \theta) = \frac{1}{\theta} \exp\left\{-\frac{(t-\mu)}{\theta}\right\}, \quad t \geq \mu \quad \text{and} \quad t \geq 0$$

Where:

μ = The location parameter

$\theta > 0$ = The scale parameter

The probability distribution function is:

$$F(t; \mu, \theta) = 1 - \exp\left\{-\frac{(t-\mu)}{\theta}\right\}.$$

The hazardous rate of the on-hand inventory is given by:

$$H(t; \mu, \theta) = \frac{f(t; \mu, \theta)}{1 - F(t; \mu, \theta)} = \frac{1}{\theta}, \quad t \geq 0, \quad \theta > 0$$

We are concerned with an inventory system for a single product subject to two-parameter exponential hazardous item to determine a production cycle time in this study. The objective of this study is to develop a mathematical model for obtaining an optimal purchase quantity for constant hazardous item associated with exponential distribution during the cycle time. To minimize the total cost per unit time of an inventory-production system is also our interest. The effect of changes in the model parameters on decision variables and total cost of an inventory-production system is studied through numerical example.

MATERIALS AND METHODS

Basic model assumptions and notations: The following are the assumptions applied in the proposed model:

- A finite planning horizon is assumed
- The production unit of the product is available and it can meet the demand
- The inventory system deals with single item
- The demand rate for the product is known and constant
- Shortage is not allowed
- The hazardous of units in inventory follows an exponential distribution

The notations that are employed in this study:

- u = Units of the production rate per unit time
- y = Actual demand of the product per unit time
- $H(t; \mu, \theta) = \frac{1}{\theta}$ = A constant hazardous rate per unit time
- A = Set up cost per order
- $h > 0$ = Inventory holding cost coefficient per unit time
- $X(t)$ = Inventory level of the product
- K = Production cost per unit time
- $X(0)$ = Initial inventory

RESULTS

Development of the model and solutions: The objective of the inventory problem here is to determine the optimal order quantity so as to keep the total relevant cost as low as possible. Let $x(t)$ be the on-hand inventory at any instant of time $t(0 \leq t \leq T)$. The state level of inventory amplify due to production rate and depletes due to demand rate and hazardous rate $\frac{1}{\theta}$ of exponential distribution. The dynamics of the state equation of inventory level $x(t)$ of the product at time t over period $[0, T]$ is governed by the differential equation:

$$dx(t) = \left[u - y - \frac{1}{\theta} x(t) \right] dt, \quad 0 \leq t \leq T \tag{1}$$

with boundary conditions $x(0) = 0$ and $x(T) = 0$.

The solution of differential Eq. 1 using boundary equation $x(T) = 0$ is:

$$x(t) = x(0) \exp\left(-\frac{1}{\theta} t\right) + \int_0^t [u - y] \exp\left(-\frac{1}{\theta} (\tau - t)\right) d\tau, \quad \text{for all } t \in [0, T]$$

from which we have:

$$x(t) = [u - y] \theta \left[1 - \exp\left(-\frac{1}{\theta} (T - t)\right) \right]$$

And assuming $\theta < 1$, an approximate value is obtained by neglecting those terms of degree greater than or equal to 2 in θ using Tailors series expansion of the exponential functions:

$$x(t) = [u - y] \left[(T - t) - \frac{(T - t)^2}{2\theta} \right] \quad (2)$$

$$\frac{\partial K}{\partial T} = 0$$

The inventory holding cost in the system during production cost per unit time is:

$$\begin{aligned} \text{IHC} &= \frac{1}{T} \int_0^T x(t) dt \\ &= \frac{1}{T} h [u - y] \int_0^T \left[(T - t) - \frac{(T - t)^2}{2\theta} \right] dt \\ &= \frac{1}{6\theta} h T [u - y] [3\theta - T]. \end{aligned} \quad (3)$$

Using $x(0) = \bar{x}$ and by (2) we obtain:

$$\bar{x}(t) = [u - y] \left[T - \frac{T^2}{2\theta} \right]$$

The number of units that hazarded; $H(T)$ during one cycle time is given by:

$$H(T) = \bar{x}(t) - [u - y]T = [u - y] \left[-\frac{T^2}{2\theta} \right]$$

So, cost of hazardous rate per unit time is:

$$\text{CH} = \frac{k}{T} [u - y] \left[-\frac{T^2}{2\theta} \right] \quad (4)$$

The production cost per unit time is given by:

$$\text{PC} = \frac{uk}{T} \quad (5)$$

The set up cost per unit time is given by:

$$\text{SC} = \frac{A}{T} \quad (6)$$

Therefore by (3-6) the average total cost per unit time is given by:

$$\begin{aligned} K(T) &= \frac{1}{T} [\text{IHC} + \text{CH} + \text{PC} + \text{SC}] \\ &= \frac{u - y}{2\theta} \left[h \left(1 - \frac{T}{3\theta} \right) - k \right] + \frac{uk}{T^2} + \frac{A}{T^2} \end{aligned} \quad (7)$$

Our objective is to minimize the total cost per unit time $K(T)$. The necessary condition for total cost $K(T)$ to be minimum is:

and

$$\frac{\partial^2 K}{\partial T^2} > 0 \quad \text{for all } T > 0$$

Therefore we obtain:

$$\frac{\partial K}{\partial T} = -\frac{(u - y)h}{6\theta^2} - \frac{2uk}{T^3} - \frac{2A}{T^3} \leq 0$$

and

$$\frac{\partial^2 K}{\partial T^2} = \frac{6}{T^4} [uk + A] > 0 \quad \text{for all } T > 0$$

i.e., the second derivative is found to be positive.

DISCUSSION

Numerical illustrations: Consider an inventory system with the following parametric values in the proper units: $A = \$50/\text{set up}$, $u = 70 \text{ units/unit time}$, $y = 30 \text{ units/unit time}$, $k = \$15/\text{unit time}$, $h = 3 \text{ unit/unit time}$, $H(t; \mu, \theta) = 0.08$, $\theta = \frac{1}{H(t; \mu, \theta)} = 12.5$, $T = 4.7081 \text{ unit time}$. Then from (3-7) we obtain $\text{IHC} = \$247.02$, $\text{CH} = -\$112.99$, $\text{PC} = \$223.01$, $\text{SC} = \$10.62$ and $K(T) = \$78.09$ respectively.

The inventory level $x(t)$ in terms of the first-order differential Eq. 1 is solved numerically using the mathematical package MATLAB version 6.5. For this, Fig. 1 shows the convergence of the optimal inventory with unit time towards inventory goal level $\hat{x}(t)$ (say) about 3.25.




Fig. 1: Inventory level of the product at time t




Fig. 2: Inventory holding cost in the system per unit time




Fig. 3: Cost of hazardous rate per unit time




Fig. 4: Average total cost per unit time

Now we are going to display the Inventory holding cost, cost of hazardous rate and average total cost per unit time which are computed for the set of hazardous rates. Figure 2-5 show the inventory holding cost, cost of hazardous rate and total cost with the reference of hazardous rates given in Table 1.

Table 1: Hazardous rate

$H_1(t; \mu, \theta)$	$H_2(t; \mu, \theta)$	$H_3(t; \mu, \theta)$	$H_4(t; \mu, \theta)$	$H_5(t; \mu, \theta)$	$H_6(t; \mu, \theta)$
0.06	0.08	0.1	0.125	0.15	0.175




Fig. 5: Comparison between coast of hazardous rate and total coast

Figure 2 shows that when hazardous rate increases, inventory holding cost per unit time increases at a certain level (say \$247.02 per unit time) and then it gradually decreases. Figure 3 shows that when hazardous rate increases, cost of hazardous rate per unit time decreases. Figure 4 shows that when hazardous rate increases, average total cost per unit time increases at a certain level (say \$78.13 per unit time) then it starts declining. Figure 5 shows that when hazardous rate increases and inventory holding cost increases, average total cost per unit time increases at a certain level (say \$78.13 per unit time) then it abruptly decreases.

CONCLUSION

The optimal inventory control problem with exponential distributed hazardous item is studied and the mathematical model is developed for optimal purchase quantity. The average total cost per unit time is derived and is found be a relatively simple expression. However, this study minimizes the total cost for constant hazardous rate of exponential distribution.

ACKNOWLEDGEMENT

The researchers wish to acknowledge the support provided by Fundamental Research Grant Scheme, No. 203/PJJAUH/671128, University Sains Malaysia, Penang, Malaysia for conducting this research.

REFERENCES

1. Aggarwal, S.P., 1978. A note on an order-level model for a system with constant rate of deterioration. Opsearch, 15: 184-187.

2. Hwang, C.H., 1986. Optimization of production planning problem with continuously distributed time-lags. *Int. J. Syst. Sci.*, 17: 1499-1508. <http://www.informaworld.com/index/778726907.pdf>
3. Covert, R.P. and G.C. Philip, 1973. An EOQ model for items with Weibull distributed deterioration. *IEE. Trans.*, 5: 323-326. <http://www.informaworld.com/smpp/content~db=all?content=10.1080/05695557308974918>.
4. Harris, F.W., 1913. How many parts to make at once. *Factory, Mag. Manage.*, 10: 135-136.
5. Mishra, P. and N.H. Shah, 2008. Inventory management of time dependent deteriorating items with salvage value. *Applied Math. Sci.*, 2: 793-798. <http://www.m-hikari.com/ams/ams-password-2008/ams-password13-16-2008/shahAMS13-16-2008.pdf>
6. Raafat, F., 1985. A production-inventory model for decaying raw materials and a decaying single finished product system. *Int. J. Syst. Sci.*, 16: 1039-1044. <http://cat.inist.fr/?aModele=afficheN&cpsid=8502665>
7. Park, K.S., 1983. An integrated production-inventory model for decaying raw materials. *Int. J. Syst. Sci.*, 14: 801-806. <http://www.informaworld.com/smpp/ftinterface?content=a778538162&rt=0&format=pdf>
8. Yang, P. and H. Wee, 2003. An integrated multi-lot-size production inventory model for deteriorating item. *Comput. Operat. Res.*, 30: 671-682. <http://portal.acm.org/citation.cfm?id=762094>
9. Whitin, T.M., 1957. *Theory of Inventory Management*. Princeton University Press, Princeton, New Jersey, ISBN: 10: 0837134064, pp: 347.
10. Ghare, P.N. and G.F. Schrader, 1963. A model for exponentially decaying inventories. *J. Ind. Eng.*, 15: 238-243. <http://www.palgrave-journals.com/jors/journal/v56/n10/full/2601921a.html>
11. Sabahno, H., 2008. Optimal policy for a deteriorating inventory model with finite replenishment rate and with price dependent demand rate and cycle length dependent price. *Proc. World Acad. Sci. Eng. Technol.*, 34: 219-223. <http://www.waset.org/pwaset/v34/v34-38.pdf>
12. Shah, Y.K. and M.C. Jaiswal, 1977. An order-level inventory model for a system with constant rate of deterioration. *Opsearch*, 14: 174-184.
13. Shah, N.H. and A.S. Acharya, 2008. A time dependent deteriorating order level inventory model for exponentially declining demand. *Applied Math. Sci.*, 2: 2795-2802. <http://www.m-hikari.com/ams/ams-password-2008/ams-password53-56-2008/shahAMS53-56-2008.pdf>
14. Sugapriya, C. and K. Jeyaraman, 2008. An EPQ model for non-instantaneous deteriorating item in which holding cost varies with time. *Elect. J. Applied Stat. Anal.*, 1: 19-27. http://faculty.yu.edu.jo/alnasser/EJASA_Files/ISSUE1_2008/Page19_27.pdf
15. Sugapriya, C. and K. Jeyaraman, 2008. Determining a common production cycle time for an EPQ model for non-instantaneous deteriorating items allowing price discount using permissible delay in payments. *APRN. J. Eng. Applied Sci.*, 3: 26-30. http://www.arpnjournals.com/jeas/research_papers/rp_2008/jeas_0408_91.pdf